

Design and Implementation of an Intelligent Propeller-Stabilized 4WS Robot for Autonomous Navigation on Extreme Slopes

L. Sucharitha, T. Deepika, N. Venkata Bhargavi, R. Sai Raghava Reddy, V. Mahesh Kumar Reddy

Electrical and Electronics Engineering, CBIT, Proddatur, India, 516360

*lingareddysucharitha@gmail.com

Abstract—An IoT based garden cutter robot combines the benefits of IoT innovation and renewable vitality to offer assistance you care for your plant or garden in an ecologically neighborly way. This completely independent unit will explore through and find impediments as if it were human. The solar-powered gadget gives a low-cost and economical arrangement. Information is sent to the cloud by means of the web utilizing the robot's cameras and sensors to persistently make strides execution. Hence, there are numerous focal points to utilizing this sort of cleaning benefit for individuals who need to keep their yards looking awesome whereas being ecologically mindful.

Index Terms—Microcontroller, Ultrasonic Sensor, Arduino board

I. INTRODUCTION

As a new and technologically advanced alternative to maintaining your lawn/garden easily, an IoT-T-based grass cutting robot uses IoT and does its work autonomously by cutting grass. This robot has built-in sensors and the capability to connect to the cloud and other (smart) devices through the internet, allowing users to control their robot remotely via smartphone, tablet or computer, as well as monitor its status and location in real-time via the internet.

The IOT-T feature will allow the robot to run continuously while drawing no power from any external source. This will allow the robot to collect/harvest energy from its rechargeable battery at all times, allowing it to operate continuously. The robot provides clean, level-cut grass because of its cutting feature (sharp blade), the ability to provide low-noise cutting action, and the ability to provide minimal environmental impact to the environment. Therefore, the robot is a perfect solution for either residential or commercial locations due to its low-noise cutting features.

To conclude, an IoT-T enabled solar powered grass cutting robot provides an advanced and efficient means of maintaining your lawn or garden using new developments in both renewable energy and IoT. The benefits of utilizing an IoT-T-based device include decreased usage of power, reduction of noise pollution, and a reduction in maintenance costs.

- Materials used are lightweight for easy transport
- Budget-friendly
- Blades are very sturdy
- Performed very fast and efficiently
- Our product is a wheeled battery operated grass cutter and will be manufactured at home.
- The objective is to manufacture a friendly user accessible home lawn mower.
- The objective is to manufacture a cost-efficient home lawn mower.

- An attempt will be made to develop and test the usability of a home lawn mower.

II. LITERATURE SURVEY

Independent lawn mowing robots are machines that require negligible or no human association in keeping up gardens and gardens. These robots utilize sun oriented boards as their vitality source, making utilize of renewable vitality. This writing audit will center on the current investigate encompassing independent solar-powered mechanical lawn mowing machines.

In 2016, J. Chincholkar et al. laid out the plan and advancement of a battery-powered lawnmowing robot that seem work on its own. The robot utilized a electric engine and was able to explore through diverse sorts of grass. Test comes about appeared that the robot seem effectively cut grass up to 3 inches in stature and move over uneven ground and impediments without assistance.

In 2018, J. Pradeep et al. presented a comparative mechanical lawnmowing framework that may be controlled through a versatile application.

Their plan included a GPS framework to offer assistance the robot explore and maintain a strategic distance from deterrents. Testing appeared that the robot may cut grass up to 4 inches in height.

In a 2020 consider, T. Wong et al. created a solar-powered robot for grass cutting that joined machine learning. The robot was prepared with sensors that measured grass thickness and stature, permitting it to cut at shifting statures, up to 6 inches. The analysts tried the robot on diverse sorts of grass and found that it performed grass cutting more viably than conventional cutters.

Their discoveries recommend that solar-powered grass cutting robots can be a dependable and proficient arrangement for garden care, advertising benefits like lower

carbon outflows, decreased support costs, and less require for human inclusion. In any case, more investigate is required to improve the proficiency and unwavering quality of these frameworks, particularly in challenging climate conditions.

3. Principles of Operation

IoT-T based grass cutting robots utilize three major components to perform their assignments: sensing, handling and actuation

Sensing:

Detecting alludes to the utilize of different detecting gadgets (e.g., GPS, ultrasonic and optical sensors) to give the robot with the capacity to explore a garden and distinguish potential impediments in the way. The robot employments information from its different sensor frameworks to decide the thickness and tallness of grass, which will permit it to too alter to a unused cutting tallness as needed.

Processing:

Data collected by means of the sensors can be analyzed by either the on-board microcontroller or the computer onboard the robot through the utilize of calculations to perform real-time calculations based on the information and make choices (such as deciding an ideal course for cutting and altering the tallness of cutting).

Actuation:

The actuators are the gadget that performs the required activities once the robot has collected information and created an activity arrange.

Together with the wheels to permit development, the actuators work the cutting edges so that the robot can move around the yard and cut grass.

The IoT-T Sun powered Grass Cutting Robot too joins a communication module to communicate with the web and other gadgets. Through the communication module, this cutting robot has the capability to get an instruction and transmit its operational status to a farther server or portable device.

In common, the operation of IoT-T-based sun oriented grass cutting robots is comprised of collecting information from a assortment of sensors, running calculations to handle that data, and at that point utilizing actuators to conduct the vital exercises.

This innovation gives a assortment of points of interest and points of interest such as diminished carbon outflows, less support costs, and expanded effectiveness.

4. (a) Fundamental Components

4.1 Record PVC Froth SHEETS

PVC froth sheets are solid and lightweight medium with properties comparable to wood. PVC froth sheets have a waterproof surface and an anti-termites property, making them appropriate for utilize in add, whereas moreover being utilized as sign sheets. In spite of the fact that PVC

Froth Sheet is much cheaper than plywood, it does not have the same strength.

4.2 DC Equip MOTOR

Adapt engines are the coordinates powertrain portion of a framework highlighting the drive get together and the gearbox to make a single unit. The adapt engine can be thought of as a torque multiplier and speed reducer, permitting it to be fueled by less watts to move a specific stack. Variables such as gearbox structure, grease, and coupling sorts will influence the execution of the equip engine system.

4.3 DC Engine and tires

A DC engine is an electrical component that changes over coordinate current (DC) electrical vitality into motor vitality (development). "BO" alludes to a sort of DC engine known as a "brushed out runner (BO)", where the stator is the stationary component (or the variable component) and is the rotor.

Tall execution DC engines by and large are made to exceptionally tight resistances, include high-quality heading and other components that would contribute to upgraded execution, more prominent proficiency and expanded toughness.

Tires are a essential component to numerous venture sorts including mechanical autonomy, robotization and transportation. In a Sun based Grass Cutter Mechanical technology extend, tires will be a key component in keeping the robot adjusted and stable.

4.4 Battery

The battery will supply all the vitality required to work and control the Sun oriented Grass Cutter Robot. Depending on the project's in general control prerequisites, the voltage and capacity of the battery will have to be taken into thought. In expansion to voltage and capacity, the battery chemistry will too decide execution characteristics such as vitality thickness, release rates, and cycle life.

4.5 Ultrasonic Sensor

An ultrasonic sensor measures the remove from a target question by sending out ultrasonic sound waves and recording the plentifulness of the reflected sound. Since ultrasonic waves travel at a higher speed than capable of being heard sound (the sound people listen), the squander time whereas holding up for a return flag from an question will be significantly reduced.

The ultrasonic Sensor comprises of two fundamental parts:

1. Transmitter (the portion that transmits sound through Piezoelectric crystals)
2. Recipient (the portion that gets the sound after returning from the target).

4.6 Arduino Board










Arduino is a stage made for building/creating/constructing/prototyping/electronic gadgets. The Arduino stage comprises of both equipment and computer program, whose equipment is comprised of


microcontroller sheets. Arduino can be modified utilizing an simple programming language.

4.7 Wi-Fi Module & Engine Driver



The Wi-Fi module inside the Sun oriented Grass Cutter's robot is utilized to permit the wanderer to interface wirelessly to other gadgets on a Wi-Fi organize. The Wi-Fi organizing capability of the robot permits for the collection of telemetry information and receipt of enlightening from organized frameworks whereas moreover permitting transmission of collection and logical information to these frameworks. The Wi-Fi module underpins all standard Wi-Fi conventions, and can be arranged to work with a assortment of diverse sorts of Wi-Fi systems. The engine driver chips utilized in independent robots and inserted circuits control the engines that control these robots.

5. (b) Specification

S.No	Name Of The Component	Specifications	Component
1.	PVC Foam sheet	2 sheets	
2.	DC gear motor	12V, 3amp	
3.	DC motor	12V, 60 rpm, 0.3amp	
4.	Turbo Wheel	6 inch wheel	
5.	Battery	12V, 1.3amp	
6.	Ultrasonic Sensor	40 cm Range	
7.	Arduino Board	1 quantity	
8.	Wi-Fi Module	ESP- 12E	
9.	Motor Driver Module	1 quantity	

10.	Blade	Stainless steel	
-----	-------	-----------------	---

6. Design & Fabrication



III. RESULT AND DISCUSSION

Calculation for dc engines and battery:

1. DC evaluated engine voltage of 12V with current input of 0.3 AMH.
2. Voltage input of 12V with a 1.3 AMH battery.
3. Add up to number of batteries in the framework = 3.

Motor Control and Usage:

Total DC wheeled engine control @ 12v and .3 amperes = 4 * 3.6 watts of add up to control utilized for the four wheeled drive motors.

Cutter Power:

The center sort cutter engine employments 12 volts @ 1.3 amps = 15.6 watts to control the cutter.

Total Control from Batteries:

Total control provided by the batteries will be No. Batteries * volts (12) * amps (1.3) = add up to watts = 3 * 12 * 1.3 = 31.2 watts. Add up to Control Utilized = 14.4 + 15.6 = 30 watts. So add up to vitality utilized was near to add up to vitality gotten (31.2 = 30) and utilized in the same hours(noon) as it charges the system.

Time required for battery charging at current:

The add up to current drawn from the control outlet is 27 watts at 0.18 amps = 4.86 watts; (add up to watts gotten prefixed to #3) and so isolating add up to term accessible for battery charging (31.2/4.86) is rise to to around six hours. Hence if you can as it were charge the batteries 1 hour each day, the time taken will be roughly six days.

IV. CONCLUSION

Overall, an IoT-based mechanical cutter will give an incredible bargain of esteem for grass care support as a practical arrangement that can decrease costs through lower carbon emanations, lower life-cycle costs, and more noteworthy adequacy. Each IoT-T automated cutter employments a renewable vitality source (i.e., PVC froth sheets) to create control, navigates by means of a few sorts of sensors or communication modules to offer assistance the cutter connected with other gadgets and objects in the garden, collects sensor information to prepare calculations, and sends actuators to perform the craved activities to keep up the grass and arranging region.

Each IoT-T based automated cutter has the capacity to explore a garden, distinguish impediments in its way, alter its cutting stature based on grass thickness and stature. A few ponders conducted with respect to the utilize of IoT-T based automated cutters have given exceptionally promising comes about in terms of being compelling arrangements for keeping up gardens and gardens. Assist inquire about will be conducted to proceed to progress upon the unwavering quality and execution of IoT-T-based automated cutters, especially beneath severe climate conditions.

Overall, the utilize of an IoT-T-based mechanical cutter as portion of a naturally dependable approach to keeping up gardens and arranging is exceptionally empowering, and proceeded development of the innovation gives openings for assist improvement inside the garden care/gardening/landscaping industries.

V. AFFIRMATION

This innovation has a shining future and numerous conceivable outcomes stay for enhancement. An case of what is conceivable incorporates creating the capability for completely independent route of IoT -T-based grass cutting robots by utilizing advanced route frameworks that would permit them to discover their way around exceptionally complicated lawns/gardens as well as being exceptionally great at maintaining a strategic distance from any impediments in their way through progressed sensor innovation such as lidar machines and machine vision vehicles.

1. AI Innovation: The integration of AI program permits robots that work independently to learn around their environment and react agreeing to current information. With the utilize of AI, it is conceivable to maximize effectiveness by deciding the best cutting way, altering cutting statures and evaluating issues some time recently they happen.

2. Cloud Administrations: Cloud innovation will give IoT-enabled lawnmowers with more assets for preparing and putting away expansive information. This ought to offer assistance make strides calculation exactness and generally automated capabilities.

3. Planning Multi-Tasking Capacities: Future hardware may be able to execute numerous diverse capacities at the same time, such as cutting grass and watering or fertilizing the turf. This will make a more comprehensive and successful way to approach scene maintenance.

4. Following Natural Conditions: Natural sensors joined into IoT-enabled grass cutting frameworks will permit for observing discuss quality, soil quality, temperature and stickiness. This will empower the mechanical framework to program itself to optimize its cutting plan and adjust operations to offer assistance cultivate solid turf growth.

5. Meddle with Domestic Mechanization: Due to the developing notoriety of shrewd domestic innovation, garden support robots might before long interface with these gadgets for consistent control and checking of an whole grass care framework from anyplace in the world. To entirety up, the IoT-T based mechanical technology division will proceed to offer numerous openings and conceivable outcomes for development and advancement. There is much room accessible for unused developments in this field and continuous inquire about and advancement will deliver advance progressions, productivity, and supportability to the conventional property upkeep industry.

REFERENCE

- [1] SagarPalve, Kunal Panchal "Solar Power Based Automated Grass Cutter Machine" from the International Research Journal of Engineering and Technology (IRJET) Publishing, Volume 5, April 2018.
- [2] Akanksha Vyas, Satyam Chourasia "Arduino Based Automatic Dry & Wet Floor Cleaner" from the International Journal of Engineering Technology and Management Research (LETMR) Volume 5, 2018.
- [3] AbishekVeghala "Floor Cleaning Robot with Mobile APP (or) Autonomous" from Indus Publishers (Ppt) Report Publishing, 2015.
- [4] ShreeVashGhodke, NehaChumbalkar "IoT Based Home Security System Using Raspberry PI" from International Journal of Innovative Research in Science, Engineering & Technology (UIRSET) Articles Publication, Volume 6, December 2017.
- [5] M. Vadivel, M. Poonagadhai "IoT Based Home Visitor Monitoring System Using Raspberry PI" from International Research Journal of Engineering & Technology (IRJET) Publication, Volume 5, March 2018.
- [6] G.R. Singh Pannu, M. Davud "Design and Implementation of Autonomous Car Using Raspberry PI" from International Journal of Computer Applications (IJCA) Volume 113, March 2015.